

SIGNIFICANT LIGHTING | ICONIC PROJECTS | BETTER BUSINESS

When your projects get ambitious don't think ordinary

The lighting we provide means you can present installations that deliver experiences your customers – and their users – haven't seen before. Whether subtle or in your face, this enables you to set new standards for visual impact, end-user satisfaction and low cost of ownership throughout high-profile spaces.

HERE&AFTER

info@hereandafter.com

hereandafter.com



Coin tilt data sheet

Coin tilt is a minimalistic adjustable recessed downlight. With its small diameter and low built-in height this is a very compact and high efficiency luminaire, which suitable for built-in under cabins or where there is no space.

The Coin is a low voltage recessed downlight and the structure is based on aluminium, which gives the Coin a very good passive dissipation, which provide a very long lifespan. The patented adjustment system allows Coin tilt to rotate 355° and tilted 25°. With its high efficiency optic, recessed into the luminaires, the Coin provide a high level of visual comfort and low glare.

As an add on, Coin also offer a surface mounting option, through the surface ring.


DESIGNED BY ERIK PADKJÆR LARSEN

LED IP20 650°


5 YEARS WARRANTY



Other colours on request



Narrow 20 Medium 30 Wide 45 Extra wide 60



DIMENSIONS

Light Technical Information

W source	2	Lamp Type	SMD	Over voltage protection	/
W system	2.6	Voltage (V)	2.5-3.1	Ballast losses (W)	/
lm source	167/180/205	LED Current (mA)	700	Control	Triac
lm system	138/149/170	MacAdam Step	3	UGR	18.7
Lm/W	53/57/65	LED numbers	1	GWT (°C)	650 C
Lm in emergency mode	/	Tc (Ta25 °C)	67	Rotation angle (°)	355
CCT	2700/3000/4000	Life span LED	50000H L70B50	Tilting angle (°)	25
CRI	95	Power factor	1	Cutout (mm)	φ 45
Lamp code	SST-20	Minimum dimming (%)	1	Looping	/

Specification – 2700K

Art number	EAN number	Text	CCT	Lm/W	Lm system	Colour	RAL
16010011700001	5715174020017	Coin CO-DT1 2w CRI95 20°	2700K	53	138	Matt Black	RAL9004
16010010800001	5715174020024	Coin CO-DT1 2w CRI95 20°	2700K	53	138	Matt white	RAL9016
16010011700002	5715174020031	Coin CO-DT1 2w CRI95 30°	2700K	53	138	Matt Black	RAL9004
16010010800002	5715174020048	Coin CO-DT1 2w CRI95 30°	2700K	53	138	Matt white	RAL9016
16010011700003	5715174020055	Coin CO-DT1 2w CRI95 45°	2700K	53	138	Matt Black	RAL9004
16010010800003	5715174020062	Coin CO-DT1 2w CRI95 45°	2700K	53	138	Matt white	RAL9016
16010011700004	5715174020079	Coin CO-DT1 2w CRI95 60°	2700K	53	138	Matt Black	RAL9004
16010010800004	5715174020086	Coin CO-DT1 2w CRI95 60°	2700K	53	138	Matt white	RAL9016

Specification – 3000K

Art number	EAN number	Text	CCT	Lm/W	Lm system	Colour	RAL
16010011700005	5715174020093	Coin CO-DT1 2w CRI95 20°	3000K	57	149	Matt Black	RAL9004
16010010800005	5715174020109	Coin CO-DT1 2w CRI95 20°	3000K	57	149	Matt white	RAL9016
16010011700006	5715174020116	Coin CO-DT1 2w CRI95 30°	3000K	57	149	Matt Black	RAL9004
16010010800006	5715174020123	Coin CO-DT1 2w CRI95 30°	3000K	57	149	Matt white	RAL9016
16010011700007	5715174020130	Coin CO-DT1 2w CRI95 45°	3000K	57	149	Matt Black	RAL9004
16010010800007	5715174020147	Coin CO-DT1 2w CRI95 45°	3000K	57	149	Matt white	RAL9016
16010011700008	5715174020154	Coin CO-DT1 2w CRI95 60°	3000K	57	149	Matt Black	RAL9004
16010010800008	5715174020161	Coin CO-DT1 2w CRI95 60°	3000K	57	149	Matt white	RAL9016

Specification – 4000K

Art number	EAN number	Text	CCT	Lm/W	Lm system	Colour	RAL
16010011700009	5715174020178	Coin CO-DT1 2w CRI95 20°	4000K	65	170	Matt Black	RAL9004
16010010800009	5715174020185	Coin CO-DT1 2w CRI95 20°	4000K	65	170	Matt white	RAL9016
16010011700010	5715174020192	Coin CO-DT1 2w CRI95 30°	4000K	65	170	Matt Black	RAL9004
16010010800010	5715174020208	Coin CO-DT1 2w CRI95 30°	4000K	65	170	Matt white	RAL9016
16010011700011	5715174020215	Coin CO-DT1 2w CRI95 45°	4000K	65	170	Matt Black	RAL9004
16010010800011	5715174020222	Coin CO-DT1 2w CRI95 45°	4000K	65	170	Matt white	RAL9016
16010011700012	5715174020239	Coin CO-DT1 2w CRI95 60°	4000K	65	170	Matt Black	RAL9004
16010010800012	5715174020246	Coin CO-DT1 2w CRI95 60°	4000K	65	170	Matt white	RAL9016

Accessories

Art number	EAN number	Text	Colour	RAL
16040011700001	5715174020253	Coin CO-DTC1 Surface Mounting Cover	Matt Black	RAL9004
16040010800001	5715174020260	Coin CO-DTC1 Surface Mounting Cover	Matt white	RAL9016

Driver

Art number	EAN number	Text
19040060000077	5715174150004	24w Constant voltage 24V driver Triac
19040060000125	5715174150011	40w Constant voltage 24V driver Triac
19040060000126	5715174150028	75w Constant voltage 24V driver Triac
19040060000127	5715174150035	150w Constant voltage 24V driver Triac
19040060000128	5715174150042	200w Constant voltage 24V driver Triac