

SIGNIFICANT LIGHTING | ICONIC PROJECTS | BETTER BUSINESS

When your projects get ambitious don't think ordinary

The lighting we provide means you can present installations that deliver experiences your customers – and their users – haven't seen before. Whether subtle or in your face, this enables you to set new standards for visual impact, end-user satisfaction and low cost of ownership throughout high-profile spaces.

HERE&AFTER

info@hereandafter.com

hereandafter.com



Invisible sources, visible impacts

The latest-generation LEDs and deeply recessed reflectors in Gravity downlights and wallwashers provide exceptional lighting effects that you can rotate through 355 degrees and tilt at virtually any angle. There are also fixed units, if you prefer.

You can mount and integrate them virtually anywhere, including surfaces, panels, ceilings and fixtures. Installers can easily mount Gravity lighting fixtures inside the insulation and within the vapour barrier of any structure – with no extra manpower-intensive alterations or practical bother.

As with most other here&after design concepts, the Gravity range is under continual development and extension. This is made easy because we can combine the same components and fixtures in countless different ways, with a frame, Trimless or as a surface, and all in different sizes, to give you a remarkable wide range of choice for high-quality downlights and wallwashers.

DESIGNED BY ERIK PADKJÆR LARSEN




Other colours on request



Narrow
17

Medium
24

Wide
36



DIMENSIONS

Light Technical Information

W source	11	Lamp Type	COB	Ripple (%)	<5
W system	13	Voltage (V)	34-38	Ballast losses (W)	/
lm source	959/ 1018/ 1076	LED Current (mA)	300	Control	DALI
lm system	829/ 879/ 929	MacAdam Step	3	UGR	-2.6
Lm/W	64/ 68/ 71	LED numbers	1	GWT (°C)	650
Lm in emergency mode	/	Tc (Ta25°C)	90	Rotation angle (°)	355
CCT	2700/ 3000/ 4000	Life span LED	50000H L70B50	Tilting angle (°)	30
CRI	90/ 95	Power factor	PF>0.9	Cutout (mm)	Ø100
Lamp code	CXM-4-30-90-36-TC40	Minimum dimming (%)	1	Looping	/

Specification – 2700K

Art number	EAN number	Text	CCT	Lm/W	Lm system	Colour	RAL
16010101800002	5715174130730	Gravity GR-DW1 11w CRI90 17°	2700K	64	829	Sandy Black	RAL9004
16010100900002	5715174130747	Gravity GR-DW1 11w CRI90 17°	2700K	64	829	Sandy white	RAL9016
16010101800003	5715174130754	Gravity GR-DW1 11w CRI95 17°	2700K	60	778	Sandy Black	RAL9004
16010100900003	5715174130761	Gravity GR-DW1 11w CRI95 17°	2700K	60	778	Sandy white	RAL9016
16010101800004	5715174130778	Gravity GR-DW1 11w CRI90 24°	2700K	64	829	Sandy Black	RAL9004
16010100900004	5715174130785	Gravity GR-DW1 11w CRI90 24°	2700K	64	829	Sandy white	RAL9016
16010101800005	5715174130792	Gravity GR-DW1 11w CRI95 24°	2700K	60	778	Sandy Black	RAL9004
16010100900005	5715174130808	Gravity GR-DW1 11w CRI95 24°	2700K	60	778	Sandy white	RAL9016
16010101800006	5715174130815	Gravity GR-DW1 11w CRI90 36°	2700K	64	829	Sandy Black	RAL9004
16010100900006	5715174130822	Gravity GR-DW1 11w CRI90 36°	2700K	64	829	Sandy white	RAL9016
16010101800007	5715174130839	Gravity GR-DW1 11w CRI95 36°	2700K	60	778	Sandy Black	RAL9004
16010100900007	5715174130846	Gravity GR-DW1 11w CRI95 36°	2700K	60	778	Sandy white	RAL9016

Specification – 3000K

Art number	EAN number	Text	CCT	Lm/W	Lm system	Colour	RAL
16010101800008	5715174130853	Gravity GR-DW1 11w CRI90 17°	3000K	68	879	Sandy Black	RAL9004
16010100900008	5715174130860	Gravity GR-DW1 11w CRI90 17°	3000K	68	879	Sandy white	RAL9016
16010101800009	5715174130877	Gravity GR-DW1 11w CRI95 17°	3000K	62	809	Sandy Black	RAL9004
16010100900009	5715174130884	Gravity GR-DW1 11w CRI95 17°	3000K	62	809	Sandy white	RAL9016
16010101800010	5715174130891	Gravity GR-DW1 11w CRI90 24°	3000K	68	879	Sandy Black	RAL9004
16010100900010	5715174130907	Gravity GR-DW1 11w CRI90 24°	3000K	68	879	Sandy white	RAL9016
16010101800011	5715174130914	Gravity GR-DW1 11w CRI95 24°	3000K	62	809	Sandy Black	RAL9004
16010100900011	5715174130921	Gravity GR-DW1 11w CRI95 24°	3000K	62	809	Sandy white	RAL9016
16010101800001	5715174130938	Gravity GR-DW1 11w CRI90 36°	3000K	68	879	Sandy Black	RAL9004
16010100900001	5715174130945	Gravity GR-DW1 11w CRI90 36°	3000K	68	879	Sandy white	RAL9016
16010101800012	5715174130952	Gravity GR-DW1 11w CRI95 36°	3000K	62	809	Sandy Black	RAL9004
16010100900012	5715174130969	Gravity GR-DW1 11w CRI95 36°	3000K	62	809	Sandy white	RAL9016

Specification – 4000K

Art number	EAN number	Text	CCT	Lm/W	Lm system	Colour	RAL
16010101800013	5715174130976	Gravity GR-DW1 11w CRI90 17°	4000K	71	929	Sandy Black	RAL9004
16010100900013	5715174130983	Gravity GR-DW1 11w CRI90 17°	4000K	71	929	Sandy white	RAL9016
16010101800014	5715174130990	Gravity GR-DW1 11w CRI95 17°	4000K	65	849	Sandy Black	RAL9004
16010100900014	5715174131003	Gravity GR-DW1 11w CRI95 17°	4000K	65	849	Sandy white	RAL9016
16010101800015	5715174131010	Gravity GR-DW1 11w CRI90 24°	4000K	71	929	Sandy Black	RAL9004
16010100900015	5715174131027	Gravity GR-DW1 11w CRI90 24°	4000K	71	929	Sandy white	RAL9016
16010101800016	5715174131034	Gravity GR-DW1 11w CRI95 24°	4000K	65	849	Sandy Black	RAL9004
16010100900016	5715174131041	Gravity GR-DW1 11w CRI95 24°	4000K	65	849	Sandy white	RAL9016
16010101800017	5715174131058	Gravity GR-DW1 11w CRI90 36°	4000K	71	929	Sandy Black	RAL9004
16010100900017	5715174131058	Gravity GR-DW1 11w CRI90 36°	4000K	71	929	Sandy white	RAL9016
16010101800018	5715174131072	Gravity GR-DW1 11w CRI95 36°	4000K	65	849	Sandy Black	RAL9004
16010100900018	5715174131089	Gravity GR-DW1 11w CRI95 36°	4000K	65	849	Sandy white	RAL9016