

SIGNIFICANT LIGHTING | ICONIC PROJECTS | BETTER BUSINESS


When your projects get ambitious don't think ordinary

The lighting we provide means you can present installations that deliver experiences your customers – and their users – haven't seen before. Whether subtle or in your face, this enables you to set new standards for visual impact, end-user satisfaction and low cost of ownership throughout high-profile spaces.

HERE&AFTER

info@hereandafter.com

hereandafter.com



Invisible sources, visible impacts

The latest-generation LEDs and deeply recessed reflectors in Gravity downlights and wallwashers provide exceptional lighting effects that you can rotate through 355 degrees and tilt at virtually any angle. There are also fixed units, if you prefer.

You can mount and integrate them virtually anywhere, including surfaces, panels, ceilings and fixtures. Installers can easily mount Gravity lighting fixtures inside the insulation and within the vapour barrier of any structure – with no extra manpower-intensive alterations or practical bother.

As with most other here&after design concepts, the Gravity range is under continual development and extension. This is made easy because we can combine the same components and fixtures in countless different ways, with a frame, Trimless or as a surface, and all in different sizes, to give you a remarkable wide range of choice for high-quality downlights and wallwashers.

DESIGNED BY ERIK PADKJÆR LARSEN

LED



IP20

650°

A+

5 YEARS WARRANTY

Other colours on request



Light Technical Information

W source	11	Lamp Type	COB	Ripple (%)	<5
W system	13	Voltage (V)	34-38	Ballast losses (W)	/
lm source	959/ 1018/ 1076	LED Current (mA)	300	Control	DALI
lm system	829/ 879/ 929	MacAdam Step	3	UGR	<2.6
Lm/W	64/ 68/ 71	LED numbers	1	GWT (°C)	650
Lm in emergency mode	/	Tc (Ta25 °C)	90	Rotation angle (°)	355
CCT	2700/ 3000/ 4000	Life span LED	50000H L70B50	Tilting angle (°)	30
CRI	90/95	Power factor	PF>0.9	Cutout (mm)	/
Lamp code	CXM-4-30-90-36-TC40	Minimum dimming (%)	1	Looping	/

Specification – 2700K

Art number	EAN number	Text	CCT	Lm/W	Lm system	Colour	RAL
16010151800001	5715174130013	Gravity GR-DWT1 11w CRI90 17°	2700K	64	829	Sandy Black	RAL9004
16010150900001	5715174130020	Gravity GR-DWT1 11w CRI90 17°	2700K	64	829	Sandy white	RAL9016
16010151800002	5715174130037	Gravity GR-DWT1 11w CRI95 17°	2700K	60	778	Sandy Black	RAL9004
16010150900002	5715174130044	Gravity GR-DWT1 11w CRI95 17°	2700K	60	778	Sandy white	RAL9016
16010151800003	5715174130051	Gravity GR-DWT1 11w CRI90 24°	2700K	64	829	Sandy Black	RAL9004
16010150900003	5715174130068	Gravity GR-DWT1 11w CRI90 24°	2700K	64	829	Sandy white	RAL9016
16010151800004	5715174130075	Gravity GR-DWT1 11w CRI95 24°	2700K	60	778	Sandy Black	RAL9004
16010150900004	5715174130082	Gravity GR-DWT1 11w CRI95 24°	2700K	60	778	Sandy white	RAL9016
16010151800005	5715174130099	Gravity GR-DWT1 11w CRI90 36°	2700K	64	829	Sandy Black	RAL9004
16010150900005	5715174130105	Gravity GR-DWT1 11w CRI90 36°	2700K	64	829	Sandy white	RAL9016
16010151800006	5715174130112	Gravity GR-DWT1 11w CRI95 36°	2700K	60	778	Sandy Black	RAL9004
16010150900006	5715174130129	Gravity GR-DWT1 11w CRI95 36°	2700K	60	778	Sandy white	RAL9016

Specification – 3000K

Art number	EAN number	Text	CCT	Lm/W	Lm system	Colour	RAL
16010151800007	5715174130136	Gravity GR-DWT1 11w CRI90 17°	3000K	68	879	Sandy Black	RAL9004
16010150900007	5715174130143	Gravity GR-DWT1 11w CRI90 17°	3000K	68	879	Sandy white	RAL9016
16010151800008	5715174130150	Gravity GR-DWT1 11w CRI95 17°	3000K	62	809	Sandy Black	RAL9004
16010150900008	5715174130167	Gravity GR-DWT1 11w CRI95 17°	3000K	62	809	Sandy white	RAL9016
16010151800009	5715174130174	Gravity GR-DWT1 11w CRI90 24°	3000K	68	879	Sandy Black	RAL9004
16010150900009	5715174130181	Gravity GR-DWT1 11w CRI90 24°	3000K	68	879	Sandy white	RAL9016
16010151800010	5715174130198	Gravity GR-DWT1 11w CRI95 24°	3000K	62	809	Sandy Black	RAL9004
16010150900010	5715174130204	Gravity GR-DWT1 11w CRI95 24°	3000K	62	809	Sandy white	RAL9016
16010151800011	5715174130211	Gravity GR-DWT1 11w CRI90 36°	3000K	68	879	Sandy Black	RAL9004
16010150900011	5715174130228	Gravity GR-DWT1 11w CRI90 36°	3000K	68	879	Sandy white	RAL9016
16010151800012	5715174130235	Gravity GR-DWT1 11w CRI95 36°	3000K	62	809	Sandy Black	RAL9004
16010150900012	5715174130242	Gravity GR-DWT1 11w CRI95 36°	3000K	62	809	Sandy white	RAL9016

Specification – 4000K

Art number	EAN number	Text	CCT	Lm/W	Lm system	Colour	RAL
16010151800013	5715174130259	Gravity GR-DWT1 11w CRI90 17°	4000K	71	929	Sandy Black	RAL9004
16010150900013	5715174130266	Gravity GR-DWT1 11w CRI90 17°	4000K	71	929	Sandy white	RAL9016
16010151800014	5715174130273	Gravity GR-DWT1 11w CRI95 17°	4000K	65	849	Sandy Black	RAL9004
16010150900014	5715174130280	Gravity GR-DWT1 11w CRI95 17°	4000K	65	849	Sandy white	RAL9016
16010151800015	5715174130297	Gravity GR-DWT1 11w CRI90 24°	4000K	71	929	Sandy Black	RAL9004
16010150900015	5715174130303	Gravity GR-DWT1 11w CRI90 24°	4000K	71	929	Sandy white	RAL9016
16010151800016	5715174130310	Gravity GR-DWT1 11w CRI95 24°	4000K	65	849	Sandy Black	RAL9004
16010150900016	5715174130327	Gravity GR-DWT1 11w CRI95 24°	4000K	65	849	Sandy white	RAL9016
16010151800017	5715174130334	Gravity GR-DWT1 11w CRI90 36°	4000K	71	929	Sandy Black	RAL9004
16010150900017	5715174130341	Gravity GR-DWT1 11w CRI90 36°	4000K	71	929	Sandy white	RAL9016
16010151800018	5715174130358	Gravity GR-DWT1 11w CRI95 36°	4000K	65	849	Sandy Black	RAL9004
16010150900018	5715174130365	Gravity GR-DWT1 11w CRI95 36°	4000K	65	849	Sandy white	RAL9016