

SIGNIFICANT LIGHTING | ICONIC PROJECTS | BETTER BUSINESS

When your projects get ambitious don't think ordinary

The lighting we provide means you can present installations that deliver experiences your customers – and their users – haven't seen before. Whether subtle or in your face, this enables you to set new standards for visual impact, end-user satisfaction and low cost of ownership throughout high-profile spaces.

HERE&AFTER

info@hereandafter.com

hereandafter.com



Hover WD/WU data sheet

Hover WD and WU is part of a Wall lamp series, which varies in sizes and functionality. With its unique shape, different light settings, Down or up and down light, offer Hover WD and WU a Nordic style ideal for numerous scene settings, such as, Bedrooms, hallway, and outdoor lighting.

The Hover WD and WU is produced of aluminium. The solid structure and the aluminium give the luminaire a strong passive dissipation, which provides an exceptionally long lifespan. With a specially designed efficiency reflector, the Hover WD and WU provide a high level of visual comfort and low glare. With an easy and well-hidden installation function, Hover WD and WU provide a clean finish.



DESIGNED BY ERIK PADKJÆR LARSEN


LED
IP44

650°
A*

5 YEARS WARRANTY



Other colours on request



Light Technical Information

W source	7	Lamp Type	COB	Ripple (%)	±5
W system	9	Voltage (V)	31-37	Over voltage protection	/
Im source	713/765/829/803	LED Current (mA)	200	Ballast losses (W)	/
Im system	607/651/705/684	MacAdam Step	3	Control	Phase Dimmable
Lm/W	71/77/83/81	LED numbers	1	UGR	27
Lm in emergency mode	/	Tc (Ta25 °C)	80	GWT (°C)	650
CCT	2700/3000/4000/5000	Life span LED	50000H L70B50	Rotation angle (°)	/
CRI	95	Power factor	PF>0.9	Tilting angle (°)	/
Lamp code	CXM-6-30-95-36-TC40	Minimum dimming (%)	5	Cutout (mm)	/
Looping	/	/	/	/	/

Specification – 2700K

Art number	EAN number	Text	CCT	Lm/W	Lm system	Colour	RAL
15010031800002	5715174072177	Hover HO-WD1 7w CRI95	2700K	71	607	Black Sandy	RAL9004
15010030900002	5715174072184	Hover HO-WD1 7w CRI95	2700K	71	607	White Sandy	RAL9016

Specification – 3000K

Art number	EAN number	Text	CCT	Lm/W	Lm system	Colour	RAL
15010031800004	5715174072191	Hover HO-WD1 7w CRI95	3000K	77	651	Black Sandy	RAL9004
15010030900004	5715174072207	Hover HO-WD1 7w CRI95	3000K	77	651	White Sandy	RAL9016

Specification – 4000K

Art number	EAN number	Text	CCT	Lm/W	Lm system	Colour	RAL
15010031800006	5715174072214	Hover HO-WD1 7w CRI95	4000K	83	705	Black Sandy	RAL9004
15010030900006	5715174072221	Hover HO-WD1 7w CRI95	4000K	83	705	White Sandy	RAL9016

Specification – 5000K

Art number	EAN number	Text	CCT	Lm/W	Lm system	Colour	RAL
15010031800008	5715174072238	Hover HO-WD1 7w CRI95	5000K	81	684	Black Sandy	RAL9004
15010030900008	5715174072245	Hover HO-WD1 7w CRI95	5000K	81	684	White Sandy	RAL9016