

SIGNIFICANT LIGHTING | ICONIC PROJECTS | BETTER BUSINESS

When your projects get ambitious don't think ordinary

The lighting we provide means you can present installations that deliver experiences your customers – and their users – haven't seen before. Whether subtle or in your face, this enables you to set new standards for visual impact, end-user satisfaction and low cost of ownership throughout high-profile spaces.

HERE&AFTER

info@hereandafter.com

hereandafter.com




Hybrid Dark Light

Hybrid profile offer a highly flexible 230v system for an almost tool-free installation. With a width range of Lumineers and accessories, this system offers a numerous applications option, combinations and solutions, even also for a corridor function. The Hybrid dark light is based on aluminium and thermoplastic. The aluminium gives the luminaire a very good passive dissipation, which provide a very long lifespan. Integrated in the thermoplastic adapter, there is Wieland connectors for easy connection and a Dali driver, which offer a full control and dimmable function. With high efficiency reflectors, which is position deep in the luminaire, the Hybrid dark light provide a high level of visual




Other colours on request



Narrow
15

Medium
30

Wide
45



DIMENSIONS

Light Technical Information

W source	30	Voltage (V)	28-32	Over voltage protection	/
W system	33	LED Current (mA)	700	Ballast losses (W)	/
Im source	2509/ 2712/ 3119	MacAdam Step	3	Control	DALI
Im system	2135/ 2308/ 2655	LED numbers	1	UGR	19
Lm in emergency mode	/	Tc (Ta25°C)	65	GWT (°C)	650
CCT	2700/ 3000/ 4000	Life span LED	L90B50	Rotation angle (°)	/
CRI	95	Power factor	PF>0.9	Tilting angle (°)	/
Lamp code	SST-20	Minimum dimming (%)	1	Cutout (mm)	/
Lamp Type	SMD	Ripple (%)	<5	Looping	/

Specification – 2700K

HA Item number	EAN number	Text	CCT	Lm/W	Lm System	Color	RAL
12250051800001	5715174041272	HY-D3 30w CRI95 15°	2700K	65	2135	Black Sandy	RAL9004
12250051800002	5715174041289	HY-D3 30w CRI95 30°	2700K	65	2135	Black Sandy	RAL9004
12250051800003	5715174041296	HY-D3 30w CRI95 45°	2700K	65	2135	Black Sandy	RAL9004
12250050900001	5715174041302	HY-D3 30w CRI95 15°	2700K	65	2135	White Sandy	RAL9016
12250050900002	5715174041319	HY-D3 30w CRI95 30°	2700K	65	2135	White Sandy	RAL9016
12250050900003	5715174041326	HY-D3 30w CRI95 45°	2700K	65	2135	White Sandy	RAL9016

Specification – 3000K

HA Item number	EAN number	Text	CCT	Lm/W	Lm System	Color	RAL
12250051800004	5715174041333	HY-D3 30w CRI95 15°	3000K	71	2308	Black Sandy	RAL9004
12250051800005	5715174041340	HY-D3 30w CRI95 30°	3000K	71	2308	Black Sandy	RAL9004
12250051800006	5715174041357	HY-D3 30w CRI95 45°	3000K	71	2308	Black Sandy	RAL9004
12250050900004	5715174041364	HY-D3 30w CRI95 15°	3000K	71	2308	White Sandy	RAL9016
12250050900005	5715174041371	HY-D3 30w CRI95 30°	3000K	71	2308	White Sandy	RAL9016
12250050900006	5715174041388	HY-D3 30w CRI95 45°	3000K	71	2308	White Sandy	RAL9016

Specification – 4000K

HA Item number	EAN number	Text	CCT	Lm/W	Lm System	Color	RAL
12250051800007	5715174041395	HY-D3 30w CRI95 15°	4000K	81	2655	Black Sandy	RAL9004
12250051800008	5715174041401	HY-D3 30w CRI95 30°	4000K	81	2655	Black Sandy	RAL9004
12250051800009	5715174041418	HY-D3 30w CRI95 45°	4000K	81	2655	Black Sandy	RAL9004
12250050900007	5715174041425	HY-D3 30w CRI95 15°	4000K	81	2655	White Sandy	RAL9016
12250050900008	5715174041432	HY-D3 30w CRI95 30°	4000K	81	2655	White Sandy	RAL9016
12250050900009	5715174041449	HY-D3 30w CRI95 45°	4000K	81	2655	White Sandy	RAL9016

Accessories

Art number	EAN number	Text	Colour	RAL
12250231800001	5715174150943	HY-PRO-1300 1.3m Aluminium Profile only	Sandy Black	RAL9004
12250230900001	5715174150950	HY-PRO-1300 1.3m Aluminium Profile only	Sandy White	RAL9016
12250231800002	5715174150967	HY-PRO-2400 2.4m Aluminium Profile only	Sandy Black	RAL9004
12250230900002	5715174150974	HY-PRO-2400 2.4m Aluminium Profile only	Sandy White	RAL9016
12250121800001	5715174150981	HY-FC-2500 Feed Cable - 2.5m	Black	RAL9004
12250120900001	5715174150998	HY-FC-2500 Feed Cable - 2.5m	White	RAL9016
12250131800001	5715174151001	HY-CC-200 Connecting Cable - 0.2m	Grey	/
12250240900001	5715174151018	HY-CC-500 Connecting Cable - 0.5m	Grey	/
12250250900001	5715174151025	HY-CC-1200 Connecting Cable - 1.2m	Grey	/
12250141800001	5715174151032	HY-C1 Aluminium Cover A	Sandy Black	RAL9004
12250140900001	5715174151049	HY-C1 Aluminium Cover A	Sandy White	RAL9016
12250151800001	5715174151056	HY-C2 Aluminium Cover B	Sandy Black	RAL9004
12250150900001	5715174151063	HY-C2 Aluminium Cover B	Sandy White	RAL9016
12250161800001	5715174151070	HY-C3 Aluminium Cover C	Sandy Black	RAL9004
12250160900001	5715174151087	HY-C3 Aluminium Cover C	Sandy White	RAL9016
12250171800001	5715174151094	HY-C4 End Cover - 2pcs	Sandy Black	RAL9004
12250170900001	5715174151100	HY-C4 End Cover - 2pcs	Sandy White	RAL9016
12250181800001	5715174151117	HY-C5 I Joint A	Sandy Black	RAL9004
12250180900001	5715174151124	HY-C5 I Joint A	Sandy White	RAL9016
12250191800001	5715174151131	HY-C6 L Feed	Sandy Black	RAL9004
12250190900001	5715174151148	HY-C6 L Feed	Sandy White	RAL9016
12250201800001	5715174151155	HY-C7 T Feed	Sandy Black	RAL9004
12250200900001	5715174151162	HY-C7 T Feed	Sandy White	RAL9016
12250211800001	5715174151179	HY-C8 X Feed	Sandy Black	RAL9004
12250210900001	5715174151186	HY-C8 X Feed	Sandy White	RAL9016
12250221800001	5715174151193	HY-C9 Suspension Kit	Sandy Black	RAL9004
12250220900001	5715174151209	HY-C9 Suspension Kit	Sandy White	RAL9016
12250141800002	5715174151216	HY-C10 Aluminium Cover D	Sandy Black	RAL9004
12250140900002	5715174151223	HY-C10 Aluminium Cover D	Sandy White	RAL9016
12250261800001	5715174151230	HY-C11 Trimless Mounting Bracket	Sandy Black	RAL9004
12250271800001	5715174151247	HY-C12 Trimless L-Bracket	Sandy Black	RAL9004

Aluminium Profile


HY-PRO1 / HY-PRO2




Linear Down Light Module

HY-D2

HY-D3



20W




30W


Wallwasher Light Module

HY-W1

HY-W2



18W




36W

Spot Light Module


HY-S1

HY-S2


HY-S2



9W+9W



13W




26W


Pendant Module

HY-P1

HY-P2



6W




13W

Linear Light Panel Module


HY-L1

HY-L2



18W

30W




30W


60W

Cables

Feed Cable



Connecting Cable




Aluminium Cover


Aluminium Cover A




Aluminium Cover B




Aluminium Cover C




Aluminium Cover D




End Cover



Trimless Mounting Bracket




Trimless L-Bracket




Accessories


I Joint A




L Feed



T Feed



X Feed



Suspension Kit

