

SIGNIFICANT LIGHTING | ICONIC PROJECTS | BETTER BUSINESS

When your projects get ambitious don't think ordinary

The lighting we provide means you can present installations that deliver experiences your customers – and their users – haven't seen before. Whether subtle or in your face, this enables you to set new standards for visual impact, end-user satisfaction and low cost of ownership throughout high-profile spaces.

HERE&AFTER

info@hereandafter.com

hereandafter.com




Hybrid Spot

Hybrid profile offer a highly flexible 230v system for an almost tool-free installation. With a wide range of Lumineers and accessories, this system offers a numerous applications option, combinations and solutions, even also for a corridor function. The Hybrid spot is based on aluminium and thermoplastic. The aluminium gives the spotlight a very good passive dissipation, which provide a very long lifespan. Integrated in the thermoplastic adapter, there is Wieland connectors for easy connection and a Dali driver, which offer a full control and dimmable function. The swivel joints allow the spot to rotate 355° and tilt 90°. With high efficiency reflectors, which is position deep in the spot, the Hybrid spot provide a high level of visual comfort and low glare.




Other colours on request



Narrow
17

Medium
24

Wide
36



DIMENSIONS

Light Technical Information

W source	9	Voltage (V)	34-38	Over voltage protection	/
W system	11	LED Current (mA)	250	Ballast losses (W)	/
Im source	1039/ 1124/ 1209	MacAdam Step	3	Control	DALI
Im system	836/ 904/ 972	LED numbers	1	UGR	19
Lm in emergency mode	/	Tc (Ta25 °C)	75	GWT (°C)	650
CCT	2700/ 3000/ 4000	Life span LED	L70B50	Rotation angle (°)	355
CRI	90/ 95	Power factor	PF>0.9	Tilting angle (°)	90
Lamp code	CXM-6-30-90-36-TC40	Minimum dimming (%)	1	Cutout (mm)	/
Lamp Type	COB	Ripple (%)	<5	Looping	/

Specification – 2700K

HA Item number	EAN number	Text	CCT	Lm/W	Lm System	Color	RAL
12250011800001	5715174040015	HY-S1 9w x2 CRI90 17°	2700K	76	836	Black Sandy	RAL9004
12250011800002	5715174040022	HY-S1 9w x2 CRI95 17°	2700K	71	782	Black Sandy	RAL9004
12250010900001	5715174040039	HY-S1 9w x2 CRI90 17°	2700K	76	836	White Sandy	RAL9016
12250010900002	5715174040046	HY-S1 9w x2 CRI95 17°	2700K	71	782	White Sandy	RAL9016
12250011800003	5715174040053	HY-S1 9w x2 CRI90 24°	2700K	76	836	Black Sandy	RAL9004
12250011800004	5715174040060	HY-S1 9w x2 CRI95 24°	2700K	71	782	Black Sandy	RAL9004
12250010900003	5715174040077	HY-S1 9w x2 CRI90 24°	2700K	76	836	White Sandy	RAL9016
12250010900004	5715174040084	HY-S1 9w x2 CRI95 24°	2700K	71	782	White Sandy	RAL9016
12250011800005	5715174040091	HY-S1 9w x2 CRI90 36°	2700K	76	836	Black Sandy	RAL9004
12250011800006	5715174040107	HY-S1 9w x2 CRI95 36°	2700K	71	782	Black Sandy	RAL9004
12250010900005	5715174040114	HY-S1 9w x2 CRI90 36°	2700K	76	836	White Sandy	RAL9016
12250010900006	5715174040121	HY-S1 9w x2 CRI95 36°	2700K	71	782	White Sandy	RAL9016

Specification – 3000K

HA Item number	EAN number	Text	CCT	Lm/W	Lm System	Color	RAL
12250011800007	5715174040138	HY-S1 9w x2 CRI90 17°	3000K	82	904	Black Sandy	RAL9004
12250011800008	5715174040145	HY-S1 9w x2 CRI95 17°	3000K	75	823	Black Sandy	RAL9004
12250010900007	5715174040152	HY-S1 9w x2 CRI90 17°	3000K	82	904	White Sandy	RAL9016
12250010900008	5715174040169	HY-S1 9w x2 CRI95 17°	3000K	75	823	White Sandy	RAL9016
12250011800009	5715174040176	HY-S1 9w x2 CRI90 24°	3000K	82	904	Black Sandy	RAL9004
12250011800010	5715174040183	HY-S1 9w x2 CRI95 24°	3000K	75	823	Black Sandy	RAL9004
12250010900009	5715174040190	HY-S1 9w x2 CRI90 24°	3000K	82	904	White Sandy	RAL9016
12250010900010	5715174040206	HY-S1 9w x2 CRI95 24°	3000K	75	823	White Sandy	RAL9016
12250011800011	5715174040213	HY-S1 9w x2 CRI90 36°	3000K	82	904	Black Sandy	RAL9004
12250011800012	5715174040220	HY-S1 9w x2 CRI95 36°	3000K	75	823	Black Sandy	RAL9004
12250010900011	5715174040237	HY-S1 9w x2 CRI90 36°	3000K	82	904	White Sandy	RAL9016
12250010900012	5715174040244	HY-S1 9w x2 CRI95 36°	3000K	75	823	White Sandy	RAL9016

Specification – 4000K

HA Item number	EAN number	Text	CCT	Lm/W	Lm System	Color	RAL
12250011800013	5715174040251	HY-S1 9w x2 CRI90 17°	4000K	88	972	Black Sandy	RAL9004
12250011800014	5715174040268	HY-S1 9w x2 CRI95 17°	4000K	77	850	Black Sandy	RAL9004
12250010900013	5715174040275	HY-S1 9w x2 CRI90 17°	4000K	88	972	White Sandy	RAL9016
12250010900014	5715174040282	HY-S1 9w x2 CRI95 17°	4000K	77	850	White Sandy	RAL9016
12250011800015	5715174040299	HY-S1 9w x2 CRI90 24°	4000K	88	972	Black Sandy	RAL9004
12250011800016	5715174040305	HY-S1 9w x2 CRI95 24°	4000K	77	850	Black Sandy	RAL9004
12250010900015	5715174040312	HY-S1 9w x2 CRI90 24°	4000K	88	972	White Sandy	RAL9016
12250010900016	5715174040329	HY-S1 9w x2 CRI95 24°	4000K	77	850	White Sandy	RAL9016
12250011800017	5715174040336	HY-S1 9w x2 CRI90 36°	4000K	88	972	Black Sandy	RAL9004
12250011800018	5715174040343	HY-S1 9w x2 CRI95 36°	4000K	77	850	Black Sandy	RAL9004
12250010900017	5715174040350	HY-S1 9w x2 CRI90 36°	4000K	88	972	White Sandy	RAL9016
12250010900018	5715174040367	HY-S1 9w x2 CRI95 36°	4000K	77	850	White Sandy	RAL9016

Accessories

Art number	EAN number	Text	Colour	RAL
12250231800001	5715174150943	HY-PRO-1300 1.3m Aluminium Profile only	Sandy Black	RAL9004
12250230900001	5715174150950	HY-PRO-1300 1.3m Aluminium Profile only	Sandy White	RAL9016
12250231800002	5715174150967	HY-PRO-2400 2.4m Aluminium Profile only	Sandy Black	RAL9004
12250230900002	5715174150974	HY-PRO-2400 2.4m Aluminium Profile only	Sandy White	RAL9016
12250121800001	5715174150981	HY-FC-2500 Feed Cable - 2.5m	Black	RAL9004
12250120900001	5715174150998	HY-FC-2500 Feed Cable - 2.5m	White	RAL9016
12250131800001	5715174151001	HY-CC-200 Connecting Cable - 0.2m	Grey	/
12250240900001	5715174151018	HY-CC-500 Connecting Cable - 0.5m	Grey	/
12250250900001	5715174151025	HY-CC-1200 Connecting Cable - 1.2m	Grey	/
12250141800001	5715174151032	HY-C1 Aluminium Cover A	Sandy Black	RAL9004
12250140900001	5715174151049	HY-C1 Aluminium Cover A	Sandy White	RAL9016
12250151800001	5715174151056	HY-C2 Aluminium Cover B	Sandy Black	RAL9004
12250150900001	5715174151063	HY-C2 Aluminium Cover B	Sandy White	RAL9016
12250161800001	5715174151070	HY-C3 Aluminium Cover C	Sandy Black	RAL9004
12250160900001	5715174151087	HY-C3 Aluminium Cover C	Sandy White	RAL9016
12250171800001	5715174151094	HY-C4 End Cover - 2pcs	Sandy Black	RAL9004
12250170900001	5715174151100	HY-C4 End Cover - 2pcs	Sandy White	RAL9016
12250181800001	5715174151117	HY-C5 I Joint A	Sandy Black	RAL9004
12250180900001	5715174151124	HY-C5 I Joint A	Sandy White	RAL9016
12250191800001	5715174151131	HY-C6 L Feed	Sandy Black	RAL9004
12250190900001	5715174151148	HY-C6 L Feed	Sandy White	RAL9016
12250201800001	5715174151155	HY-C7 T Feed	Sandy Black	RAL9004
12250200900001	5715174151162	HY-C7 T Feed	Sandy White	RAL9016
12250211800001	5715174151179	HY-C8 X Feed	Sandy Black	RAL9004
12250210900001	5715174151186	HY-C8 X Feed	Sandy White	RAL9016
12250221800001	5715174151193	HY-C9 Suspension Kit	Sandy Black	RAL9004
12250220900001	5715174151209	HY-C9 Suspension Kit	Sandy White	RAL9016
12250141800002	5715174151216	HY-C10 Aluminium Cover D	Sandy Black	RAL9004
12250140900002	5715174151223	HY-C10 Aluminium Cover D	Sandy White	RAL9016
12250261800001	5715174151230	HY-C11 Trimless Mounting Bracket	Sandy Black	RAL9004
12250271800001	5715174151247	HY-C12 Trimless L-Bracket	Sandy Black	RAL9004

Aluminium Profile


HY-PRO1 / HY-PRO2




Linear Down Light Module

HY-D2

HY-D3



20W




30W


Wallwasher Light Module

HY-W1

HY-W2



18W




36W

Spot Light Module


HY-S1

HY-S2


HY-S2



9W+9W



13W




26W


Pendant Module

HY-P1

HY-P2



6W




13W

Linear Light Panel Module


HY-L1

HY-L2



18W

30W




30W


60W

Cables

Feed Cable



Connecting Cable




Aluminium Cover


Aluminium Cover A




Aluminium Cover B




Aluminium Cover C




Aluminium Cover D




End Cover



Trimless Mounting Bracket




Trimless L-Bracket




Accessories


I Joint A




L Feed



T Feed



X Feed



Suspension Kit

